

GE Profile™ Series appliances are designed to reflect the modern approach to PROFILE TM style. Clean lines, minimal curves and a streamlined look that blends with today's kitchens. Everyday routines become amazingly simple with next generation features. Brilliant touches that answer real-life needs.



Get inspired by the advanced technology of GE Café™ Series. Meals can be made into masterpieces with the help of GE's most advanced cooking technology. From ranges and cooktops that precisely simmer, sauté and sear, to innovative speedcook ovens that can evenly cook delicious meals nearly four times faster than conventional ovens, your inner chef has all the inspiration needed to kick things up a notch.



BLACK STAINLESS Sleek & shiny

Bold and sophisticated appearance. Highgloss finish that makes a statement in any kitchen.Fingerprint resistant and easy to maintain and clean. Available on GE and brands **GE Profile Series Appliances**

STAINLESS STEEL Elegant & timeless

Timeless appearance Neutral, glossy finish that creates an elegant, modern look. Available across all GE Appliance

SLATE Rich, stone-inspired finish

GE Appliances Exclusive Finish. Rich, stone-inspired finish that provides a warm matte appearance. Smudge proof and durable. Holds magnets. Available on GE and GE Profile Series Appliances.

BLACK STAINLESS STEEL	PG 03-PG 06
SLATE	PG 07-PG 10
Refrigerators	PG 11-PG 22
French Door Refrigerators	PG 12-PG 14
Side-By-Side Refrigerators	PG 16-PG 17
Top-Freezer Refrigerators	PG 19-PG 19
Compact Refrigerators, Wine & Beverage Centres	PG 20-PG 20
Freezers	PG 21-PG 22
Cooking	PG 23-PG 41
Free – Standing Gas Ranges	PG 24-PG 26
Free – Standing Electric Ranges	PG 28-PG 28
Gas Cooktops	PG 30-PG 32
Electric Cooktops	PG 32-PG 32
Bult-In Wall Ovens	PG 34-PG 34
Ventilation	PG 36-PG 37
Over The Range Microwave Ovens	PG 39-PG 39
Countertop Microwave Ovens	PG 41-PG 41
Cleaning	PG 42-PG 43
Built-In-Dishwashers	PG 43-PG 43
Laundry	PG 44- PG 50
Front Load Washers & Dryers	PG 45 -PG 47
Top Load Washers & Dryers	PG 49- PG 45

*PLEASE CONTACT YOUR SALES REPRESENTATIVE FOR STOCK AVAILABILITY





BLACK STAINLESS STEEL

Bold and sophisticated appearance

High-gloss finish that makes a statement in any kitchen

Fingerprint resistant and easy to maintain and clean







Model#:PFD28KBLTS Approx. Product Dimensions (WxHxD) (in.) 35 3/4 in x 69 7/8 in x 36 1/4 in

FEATURES

AUTOFILL

TwinChill™ evaporators

Advanced water filtration uses RPWFE replacement filter

GE PROFILE™ SERIES 27.8 CU. FT. FRENCH-DOOR REFRIGERATOR WITH DOOR IN DOOR AND HANDS-FREE

Showcase LED lighting

Quick Space shelf

Door in door

Hands-free autofill

Full-width, electronic temperature-controlled drawer with colored

led lights

Second icemaker option





GE® ENERGY STAR® 25.3 CU. FT. SIDE-BY-SIDE REFRIGERATOR

Model#:GSE25HBLTS

Approx. Product Dimensions (WxHxD) (in.) 35 3/4 in x 69 1/2 in x 34 3/4 in

FEATURES

LED lighting

Integrated shelf support system Adjustable slide-out, spillproof glass shelves

Fresh food multi-level drawers

Adjustable Clear Look door bins

Glass freezer shelves

Advanced water filtration uses mwf replacement filter





10K

18K

18K

GE PROFILE™ SERIES 30" FREE-STANDING GAS DOUBLE OVEN CONVECTION RANGE Model#: PGB960BEJTS

Approx. Dimensions (WxHxD) (in.)

30 in x 47 1/4 in x 29 1/4 in

FEATURES
Gas convection oven (lower oven)
Two extra-large 18K Power Boil
burners
Double oven 6.8 cu. ft. total capacity
Self-clean with Steam Clean option
Heavy duty, self-clean grates
Dual purpose center burner
Edge-to-edge cooktop
Extra-large, integrated reversible cast
iron grill/griddle
Chef connect



10K

9.5K

18K

GE® 30" FREE-STANDING GAS CONVECTION RANGE Model#: JGB700BEJTS

Approx. Dimensions (WxHxD) (in.)
30 in x 47 1/4 in x 28 3/4 in
FEATURES
Gas convection oven
Centre oval burner
Heavy duty, dishwasher safe grates
5.0 cu. ft. oven capacity
Edge-to-edge cooktop
Extra-large integrated non-stick
griddle
18,000 btu power boil burner
Self-clean with steam clean option



GE® 30" FREE-STANDING ELECTRIC CONVECTION RANGE Model#: JB750BJTS

Approx. Dimensions (WxHxD) (in.) 29 7/8 in x 47 in x 28 in FEATURES Self-clean with Steam Clean option Hidden bake oven interior

Black gloss oven interior 12"/9" dual element True european convection with precise air Fast preheat Fifth element warming zone





GE® 30" BUILT-IN SINGLE CONVECTION WALL OVEN Model#: JT5000BLTS

True European Convection

Approx.Dimensions (WxHxD) (in.) 29 3/4 in x 28 5/8 in x 26 3/4 in FEATURES

Glass touch controls
Halogen oven lighting
Eight-pass broil element
5.0 cu. ft. oven capacity
Fit guarantee
Self-clean with steam clean option
Self-clean, heavy-duty oven racks



Ten-pass bake element







GE® 1.7 CU. FT. OVER-THE-RANGE SENSOR MICROWAVE **OVEN**

Model#: JVM6175BLTS

Approx. Dimensions (WxHxD) (in.) 29 7/8 in x 16 1/2 in x 15 in **FEATURES** 1.7 cu. ft. capacity "Add 30 seconds" button Two-speed, 300-CFM venting system Upfront charcoal filter with indicator light Weight and time defrost Melt feature Recessed turntable with on/off Sensor cooking controls



GE PROFILE™ SERIES 2.2 CU. FT. COUNTERTOP SENSOR MICROWAVE OVEN

Model#: PES7227BLTS Approx.Dimensions (WxHxD)

(in.) 24 in x 13 1/2 in x 18 1/2 in

FEATURES 2.2 cu. ft. capacity Weight and time defrost Extra-large 16" turntable Instant On controls Control lockout Sensor cooking controls





GE® Stainless Steel Interior Dishwasher with Hidden Controls

Model#: GDT655SBLTS

Approx.Dimensions (WxHxD) (in.) 23 3/4 in x 34 in x 24 in

FEATURES

Easy touch adjustable upper rack

with 2 Stem Safe shelves Full-extension smooth-glide

upper rack

Hidden vent with fan dry

Lower rack multi-position, fold-

down tines

Floor Protect

Bottle jets

Piranha™ hard food disposer with removable filter

Wash zones







SLATE Rich, stone-inspired finish GE Appliances Exclusive Finish Rich, stone-inspired finish that provides a warm matte appearance Smudge proof and durable Holds magnets

- 7 -







GE® 27.8 Cu. Ft. French-Door Refrigerator with Door In Door Model#: GFD28GMLES

Approx.Dimensions (WxHxD) (in.) 35 3/4 in x 69 7/8 in x 36 1/4 in **FEATURES**

TwinChill™ evaporators

Two humidity-controlled drawers and 1 full-width drawer with LED light Turbo Cool and Turbo Freeze settings

Space-saving icemaker

Door in door

Second icemaker option

Advanced water filtration uses rpwfe replacement filter

Showcase led lighting



GE® ENERGY STAR® 25.3 Cu. Ft. Side-By-Side Refrigerator Model#:GSE25HMHES

Approx.Dimensions (WxHxD) (in.) 35 3/4 in x 69 1/2 in x 34 3/4 in **FEATURES**

LED lighting

Integrated shelf support system
Adjustable slide-out, spillproof glass shelves

Fresh food multi-level drawers

Adjustable Clear Look door bins

Glass freezer shelves

Arctica icemaker


Advanced water filtration uses mwf replacement filter





SLATE





GE® 30" Free-Standing Gas Convection Range Model#:JGB700EEJES

Approx.Dimensions (WxHxD) (in.)
30 in x 47 1/4 in x 28 3/4 in FEATURES
Gas convection oven
Center oval burner
Heavy duty, dishwasher safe grates

5.0 cu. ft. oven capacity Edge-to-edge cooktop Extra-large integrated non-stick griddle

18,000 btu power boil burner Self-clean with steam clean option



18K

9.5K

GE® 30" Free-Standing Gas Double Oven Convection Range

Model#:JGB860EEJES

Approx. Dimensions (WxHxD) (in.)

30 in x 47 1/4 in x 29 1/4 in FEATURES

Gas convection oven (lower oven)

Double oven 6.8 cu. ft. total capacity

Self-clean with Steam Clean option

Precise Simmer burner Heavy duty, dishwasher safe

Heavy duty, dishwasher safe grates Edge-to-edge cooktop

Extra-large integrated non-stick griddle

18,000 btu power boil burner Center oval burner



GE PROFILE™ SERIES 30" FREE-STANDING ELECTRIC CONVECTION RANGE Model#: PB911EJES

Approx. Dimensions (WxHxD) (in.)
29 7/8 in x 47 in x 28 in
FEATURES
Chef Connect
True European Convection with
Precise Air
Fast preheat
Fifth element warming zone
Self-clean with Steam Clean

option Edge-to-edge cooktop Electronic touch controls 12"/9" dual element 9"/6" power boil element

MADE IN AMERICA
70 to 90% US content. Product content details at GEApapiances com/USA

Claims & certifications



GE® 30" BUILT-IN SINGLE CONVECTION WALL OVEN Model#:JT5000EJES

Approx. Dimensions (WxHxD) (in.)

29 3/4 in x 28 5/8 in x 26 3/4 in 28-5/8 x 27-5/16 x 23-1/2 FEATURES

True European Convection Glass touch controls Halogen oven lighting Eight-pass broil element 5.0 cu. ft. oven capacity Fit guarantee Self-clean with steam clean option

Self-clean, heavy-duty oven racks

Ten-pass bake element







GE® 30" UNDER THE CABINET HOOD

Model#:JVX5300EJES

Approx. Dimensions (WxHxD) (in.)
29 7/8 in x 5 1/2 in x 20 in
FEATURES
Four-speed with boost, 310-CFM venting system
Auto-off
Convertible venting options
Vertical and rear exhaust
Appearance (Fully enclosed bottom)
Easy installation
Electronic backlit controls
Dual halogen lighting with nightlight

Optional remote control



GE® 1.7 CU. FT. OVER-THE-RANGE SENSOR MICROWAVE OVEN Model#:JVM6175EKES

Approx. Dimensions (WxHxD) (in.)
29 7/8 in x 16 1/2 in x 15 in FEATURES

1.7 cu. ft. capacity 1000 Watts (IEC-705 test procedure)

"Add 30 seconds" button Add 30 seconds of microwave cooking time

Two-speed, 300-CFM venting system

Removes smoke, steam and odors

Upfront charcoal filter with indicator light Light indicates when odor-

removing charcoal filter needs to be replaced

Weight and time defrost Melt feature

Recessed turntable with on/off Sensor cooking controls



Approx. Dimensions (WxHxD) (in.)
21 3/4 in x 13 in x 20 in FEATURES
1.5 cu. ft. capacity
Convection cooking
Warming oven
Convection rack
Recessed turntable
Sensor cooking controls
Built-in capable microwave





GE® HYBRID STAINLESS STEEL INTERIOR DISHWASHER WITH HIDDEN CONTROLS

Model#: GDT635HMJES

Approx. Dimensions (WxHxD) (in.)
23 3/4 in x 34 in x 24 in
FEATURES
3-digit countdown
Adjustable upper rack
3-piece silverware basket
48 dBA with status light on door
Steam PreWash
Bottle jets
Piranha™ hard food disposer
with removable filter
Wash zones
Sanitize option (nsf certified)





French Door Refrigerator & Bottom Freezer

Feature Highlights



HOT WATER DISPENSER

Lets you choose your own temperature or from one of the 4 pre-programmed settings to simplify hot food and drink preparation



HANDS-FREE AUTOFILL

lets you walk away while the dispenser automatically fills your container with filtered water.



ADVANCED FILTRATION SYSTEM

GE's exclusive filtration system removes 98% of 5 trace pharmaceuticals from water and ice.



SHOWCASE LED LIGHTING

Positioned throughout the interior and under fresh food doors to spotlight foods inside the refrigerator and freezer.



FULL-WIDTH
TEMPERATURECONTROLLED DRAWER

Three accurate settings deliver the optimal temperatures for your favourite foods while coloured lights indicate the chosen setting.



HANDS-FREE PRECISE FILL SETTING

Multi-task while the dispenser automatically fills your container with the exact measurement of water you chose



TWINCHILL ™
EVAPORATORS Separate
climates in the fresh food and
freezer sections help maintain
temperature and humidity levels to
keep foods fresh.



DUAL ICEMAKER

An icemaker in both compartments gives you more ice whenever you need it



Drop-down tray
Allows for extra door storage
when you need it and tucks away
when you don't.



* Not All Features Are Available

10/07/2018

B GE APPLIANCES





GE® ENERGY STAR® 24.8 CU. FT. FRENCH-DOOR REFRIGERATOR

Model#: GNE25JSKSS

Approx. Dimensions (HxWxD) 69 7/8 in x 32 3/4 in x 37 1/2 in FEATURES

33" wide

Internal water dispenser uses MWF replacement filter

Delivers filtered water with one touch

LED lighting

Find exactly what you've been looking for under crisp, clear lighting

Factory-installed icemaker

Refrigerator comes ready to automatically create ice

Two humidity-controlled drawers and 1 full-width adjustable-temperature

UL Certified ® ENERGY STAR®



GE® ENERGY STAR® 25.8 CU. FT. FRENCH-DOOR REFRIGERATOR

Model#: GFE26GSKSS

Approx. Dimensions (HxWxD) 69 7/8 in x 35 3/4 in x 36 1/4 in

FEATURES

Space-saving icemaker

Located on the door with integrated bins to create more usable storage space

Turbo Cool and Turbo Freeze settings

An extra boost of cold air restores interior to set temperature for optimum food

freshness

Two humidity-controlled drawers and 1 full-width drawer

Twinchill™ evaporators

Advanced water filtration uses rpwfe replacement filter

Showcase led lighting

UL Certified ® ENERGY STAR®



GE® 27.8 CU. FT. FRENCH-DOOR REFRIGERATOR WITH DOOR IN DOOR

Model#:GFD28GSLSS

Approx. Product Dimensions (WxHxD) (in.)

35 3/4 in x 69 7/8 in x 36 1/4 in

FEATURES

TwinChill™ evaporators

Two humidity-controlled drawers and 1 full-width drawer with LED light

Turbo Cool and Turbo Freeze settings

Space-saving icemaker

Door in door

Second icemaker option

Advanced water filtration uses rpwfe replacement filter

Showcase led lighting













GE PROFILE™ SERIES ENERGY STAR® 27.8 CU. FT. FRENCHDOOR REFRIGERATOR WITH HANDS-FREE AUTOFILL

Model #: PFE28KSKSS

Approx. Dimensions (HxWxD) $69\ 7/8\ in\ x\ 35\ 3/4\ in\ x\ 36\ 1/4\ in\ FEATURES$

Advanced water filtration uses RPWFE replacement filter

Showcase LED lighting Quick Space shelf Drop-down tray Allows for extra door storage Turbo Cool setting

UL Certified ® ENERGY STAR®



GE PROFILE™ SERIES ENERGY STAR® 27.8 CU. FT. FRENCH-DOOR REFRIGERATOR WITH KEURIG® K-CUP® BREWING SYSTEM

Model#: PFE28PSKSS

Approx. Product Dimensions (WxHxD) (in.)

35 3/4 in x 69 7/8 in x 36 1/4 in

FEATURES

TwinChill™ evaporators Showcase LED lighting Quick Space shelf Drop-down tray

WiFi Connect

Keurig® k-cup® brewing system

Hot water scheduling

Full-width, electronic temperature-controlled drawer with color led

lights

Advanced water filtration uses rpwfe replacement filter







GE CAFÉ™ SERIES ENERGY STAR® 27.8 CU. FT. FRENCH-DOOR REFRIGERATOR

Model#: CFE28TSHSS

APPROXIMATE DIMENSIONS (HXWXD) 69 7/8 in x 35 3/4 in x 36 1/4 in TOTAL CAPACITY 27.8 cu ft

FEATURES

Hot water dispenser

Precise fill setting

Full-width, electronic temperature-controlled drawer with color led

Twinchill™ evaporators

Showcase LED lighting

Stainless steel Café™ dispenser with pullout tray

Drop-down tray

Color LCD screen with photo upload

Advanced water filtration uses RPWFE replacement filter

UL Certified ® ENERGY STAR®







GE CAFE[™] SERIES ENERGY STAR® 27.8 CU. FT. FRENCH-DOOR REFRIGERATOR WITH KEURIG® K-CUP® BREWING SYSTEM

Model#:CFE28USHSS

APPROXIMATE DIMENSIONS (HXWXD)

69 7/8 in x 35 3/4 in x 36 1/4 in TOTAL CAPACITY 27.8 cu ft

FEATURES

Keurig® k-cup® brewing system

Hot water dispenser

Hot water scheduling

Precise fill setting

Full-width, electronic temperature-controlled drawer with coloured LED

lights

TwinChill™ evaporators

Showcase LED lighting

Stainless steel Cafe ™ dispenser with pullout tray

Drop-down trav

UL Certified ® ENERGY STAR®



NOTES



Side-By-Side Refrigerator



ANGLED ALL-LED LIGHTING IN FRESH FOOD AND FREEZER

Brightly illuminates every inch of the fresh food and freezer compartments.



ARCTICA ICEMAKER

Holds up to 10 lbs of ice which is ideal for parties or large family dinners



ADVANCED FILTRATION SYSTEM

GE'S EXCLUSIVE
FILTRATION SYSTEM
REMOVES TRACE
PHARMACEUTICALS FROM
WATER AND ICE



ADJUSTIBLE CLEAR LOOK DOOR BINS

Transparent fronts make finding your favourite door items quick and easy.



GLASS FREEZER SHELVES

Enjoy a high-end appearance with secure storage for a variety of items,



QUICK SPACE SHELF

Functions as a normal full-size shelf when needed and easily slides down for instant storage





EXPRESS CHILL Chill your favourite beverages in minutes not hours



ADJUSTABLE FREEZER **DOOR BINS**

Enjoy more space for foods of all shapes and sizes.

* Not All Features Are Available



SLIDE-OUT FREEZER BASKET

Keep all your frozen favourites well-organised and easy to find.

🗯 GE APPLIANCES







ADORA SERIES BY GE® 25.9 CU. FT. SIDE-BY-SIDE REFRIGERATOR

Model#: DSHS6VGBSS

Approx. Product Dimensions (WxHxD) (in.) 35 3/4 in x 69 1/4 in x 36 in

FEATURES

Stainless steel exterior with hidden hinges

Temperature management

Multi-level drawers

Adjustable Clear Look door bins

Adjustable spillproof glass shelves

Angled all led lighting in fresh food and freezer

Arctica icemaker

Advanced water filtration uses mwf replacement filter



GE® ENERGY STAR® 25.4 CU. FT. SIDE-BY-SIDE REFRIGERATOR

Model#: GSE25GSHSS

APPROXIMATE DIMENSIONS (HXWXD)

69 1/2 in x 35 3/4 in x 34 3/4 in

TOTAL CAPACITY

25.4 cu ft

FEATURES

Integrated shelf support system

Adjustable slide-out, spillproof glass shelves

Fresh food multi-level drawers

Adjustable door bins Arctica icemaker

UL Certified ® ENERGY STAR®







GE PROFILE™ SERIES 28.4 CU. FT. SIDE-BY-SIDE REFRIGERATOR

Model#: PSS28KSHSS

APPROXIMATE DIMENSIONS (HXWXD)

69 1/2 in x 35 3/4 in x 36 in

TOTAL CAPACITY

28.4 cu ft

FEATURES

Angled ALL LED lighting in fresh food and freezer

Adjustable slide-out, spillproof glass shelves

Fresh food multi-level drawers

Adjustable Clear Look door bins

Arctica icemaker

Glass Freezer Shelves

Advanced Water Filtration Uses Mwf Replacement Filter

UL Certified ®





GE® 21.9 CU. FT. COUNTER-DEPTH SIDE-BY-SIDE **REFRIGERATOR**

Model#: GZS22DSJSS

Approx. Product Dimensions (WxHxD) (in.)

35 3/4 in x 69 1/4 in x 29 1/2 in

FEATURES

LED lighting

Integrated shelf support system Adjustable slide-out, spillproof glass shelves

Adjustable clear door bins

Fresh food multi-level drawers

Counter-depth design

Glass freezer shelves

Advanced water filtration uses mwf replacement filter

NOTES



Top Freezer Refrigerator



HIGHLY – RATED
Among 14-18 cu. ft.
refrigerators based on an independent study of property maintenance personnel. Source: The Stevenson Company, 2013



BINS
Offers ideal space for storing gallon containers in the door.

ADJUSTABLE DOOR




QUICK SPACE SHELF Functions as a normal fullsized shelf when needed and easily



FREEZER SHELF
Enjoy a high-end
appearance with secure
storage for a variety of items



ADJUSTABLE-HUMIDITY DRAWERS Controls help food stay fresh



CHROME ACCENTS
Add an elegant look to the fresh food compartment





HIGH-GLOSS FINISH Enjoy a polished appearance that stand out in any kitchen



FACTORY-INSTALLED ICEMAKER

Refrigerator comes ready to automatically create ice



SNACK DRAWER Conveniently stores favourite foods and allows for quick, easy access

* Not All Features Are Available

GE APPLIANCES





GE® 15.5 CU. FT. TO P-FREEZER REFRIGERATOR

Model#:GTS16GTHWW

APPROXIMATE DIMENSIONS (HXWXD) 64 3/4 in x 28 in x 31 5/8 in TOTAL CAPACITY 15.5 cu ft **FEATURES** Upfront temperature controls Adjustable spillproof glass shelves

Equipped for optional icemaker Adjustable-humidity drawers Snack drawer

UL Certified ®

*ALSO AVAILABLE IN BLACK & STAINLESS STEEL



GE® 17.5 CU. FT. TOP-FREEZER REFRIGERATOR

Model#: GTS18GSHSS

APPROXIMATE DIMENSIONS (HXWXD) 67 3/8 in x 28 in x 32 1/2 in TOTAL CAPACITY 17.5 cu ft **FEATURES** Upfront temperature controls Adjustable spillproof glass shelves Equipped for optional icemaker Snack drawer

Adjustable-humidity drawers


UL Certified ®

*ALSO AVAILABLE IN BLACK AND WHITE





NOTES



GE APPLIANCES



GE® WINE OR BEVERAGE CENTER Model#: GVS04BDWSS Approximate Dimensions (HXWXD) 33 in x 18 7/8 in x 22 1/8 in TOTAL CAPACITY 4.1 cu ft **FEATURES** Upfront electronic controls 109 can / 31 bottle capacity 3 adjustable, full-depth & 2 halfdepth wooden racks Gray glass door with silver accents Interior lighting **UL Certified ®**



GE® WINE CENTER
Model#: GWS04HAESS
Approximate Dimensions
(HXW XD)
33 in x 18 7/8 in x 22 1/2 in
TOTAL CAPACITY
4.1 cu ft
FEATURES
Upfront electronic controls
30 bottle capacity
5 wine racks
Glass door with stainless steel trim
Interior lighting
Makes it easy to see what is inside
UL Certified ®







10/07/2018

GE PROFILE™ SERIES WINE CENTER

Model#:PCR06WATSS

Approximate Dimensions (HXWXD) 34 1/4 in x 23 3/4 in x 25 in

TOTAL CAPACITY

5.5 cu ft

FEATURES

Electromechanical temperature controls

57-bottle capacity

Full-extension wine racks with beechwood fronts

Tinted glass door with stainless

steel accents Contoured door design

UL Certified ®

*BY SPECIAL ORDER ONLY



GE PROFILE™ SERIES BEVERAGE CENTER

Model#PCR06BATSS

Approximate Dimensions (HXWXD)

34 1/4 in x 23 3/4 in x 25 in

TOTAL CAPACITY 5.5 cu ft

FEATURES

Electromechanical temperature

controls

150 can capacity or 126 cans and 12 bottle flexibility

Full-extension wine racks with Beachwood fronts

Spillproof glass shelves

Tinted glass door with stainless

steel accents **UL Certified** ®

*BY SPECIAL ORDER ONLY



B GE APPLIANCES



GE® 5.0 CU. FT. MANUAL DEFROST CHEST FREEZER

Model#: FCM5SKWW
Approximate Dimensions
(HXWXD)
33 1/2 in x 28 3/4 in x 21 1/4 in
TOTAL CAPACITY
5.0 cu ft
FEATURES
5.0 cu. ft. capacity
Power "On" light
Lift-out, sliding bulk storage basket
Adjustable temperature control


Recessed handles

UL Certified ®

GE® 7.0 CU. FT. MANUAL DEFROST CHEST FREEZER

Model#: FCM7SKWW
Approximate Dimensions
(HXWXD)
33 1/2 in x 37 1/4 in x 21 1/4 in
TOTAL CAPACITY
7.0 cu ft
FEATURES
7.0 cu. ft. capacity
Power "On" light
2 lift-out, sliding bulk storage
baskets
Adjustable temperature control
Recessed handles

UL Certified ®



Model#: FCM11PHWW

Approx. Dimensions (HxWxD) 33 1/2 in x 50 3/4 in x 27 1/2 in 10.6 cu. ft. capacity

Interior lighting

Makes it easy to see what is inside Lock with key

Allows you to protect your valuable food items from unintentional entry

Power "On" light

Easily see if the freezer is working without having to open the door 3 lift-out, sliding bulk storage baskets

Offers flexibility to organize and store favorite foods for quick, easy access

UL Certified ® ENERGY STAR®





B GE APPLIANCES



GE® 14.1 Cu. Ft. Frost-Free Upright Freezer

Model#:FUF14DLRWW
Approx. Dimensions (WxHxD) (in.)
28 in x 62 in x 32 in
FEATURES
ENERGY STAR® qualified
LED interior lighting
Lock with key
Exterior electronic temperature
control
4 glass, 2 adjustable freezer
shelves
UL Certified ®



GE® 21.3 Cu. Ft. Frost-Free Upright Freezer

Model#: FUF21DLRWW Approx. Dimensions (WxHxD)

32 7/8 in x 76 1/2 in x 31 3/8 in

FEATURES

ENERGY STAR® qualified LED interior lighting

Lock with key

Exterior electronic temperature control

4 glass, 2 adjustable freezer

shelves

UL Certified ®



NOTES

Free - Standing Gas Ranges





TRI-RING BURNER

Quick go from gentle simmer to rapid boil with one versatile burner

Feature Highlights



wifi connect
enjoy the convenience and
freedom of wirelessly
controlling oven functions from
your smartphone



POWER BOIL BURNER
Prepare foods faster with
intense heat that rapidly boils
liquids.



CONVECTION

Enjoy perfectly even results with a fan on the rear wall that circulates heated air



DUAL BROIL
Broil meats, fruits and veggies
Faster and more evenly with
increased coverage area



CENTRE OVAL BURNER
Cook griddle favourites with
convenient burner that can also
accommodate large pots and
pans



TOTAL OVEN CAPACITY
Family meals and holiday
gathering are easily conquered
with two ovens that offer the
largest total capacity in the
industry



PRECISE SIMMER

Never worry about scalding sauces or scorching soups with low even heat distribution



GRIDDLE/GRILL
Expand your cooking repertoire
enjoy grilling, stir-frying and
sautéing right on the cooktop

* Not All Features Are Available







GE® 30" Free-Standing Gas Range Model#: JEG3002BEO **FEATURES** Continuous clean oven Electronic and manual light at top only Even pilot light only Large see through window Oven light Oven griddle 5 burner **CSA Certified** ®



GE® 30" Free-Standing Gas Range Model#: JEG3002NNE **FEATURES** Continuous clean oven Electronic and manual light at top only Even pilot light only Large see through window Oven light Oven griddle 5 burner **CSA Certified** ®



GE® 30" FREE-STANDING GAS RANGE Model#: JGA03021E0 **FEATURES** Continuous clean oven Electronic and manual light at top only Even pilot light only Large see through window Oven light Oven griddle 5 burner CSA Certified ®



GE® 30" FREE-STANDING GAS RANGE Model#:JGBS30REKSS Approx. Dimensions (WxHxD) (in.) 30 in x 46 1/4 in x 28 3/4 in **FEATURES** 13,000 BTU burner Big view window Precise Simmer burner Sealed cooktop burners Black gloss steel grates Sealed cooktop burners





GE APPLIANCES



9.5K

9.5K

13K

GE® 30" FREE-STANDING GAS RANGE

Model#:JGBS60REKSS

Approx. Product Dimensions (WxHxD) (in.) 30 in x 46 1/4 in x 28 3/4 inFEATURES 13,000 BTU burner Sealed cooktop burners Black matte steel grates Standard clean oven 4.8 cu. ft. oven capacity

*ALSO AVAILABLE IN BLACK AND WHITE



GE® 30" FREE-STANDING GAS RANGE

Model#: JGBS66REKSS

Approx. Dimensions (HxWxD) 47 1/4 in x 30 in x 28 3/4 in **FEATURES**

Steam clean

Save time and effort by steamcleaning the oven after cooking. No special water, kits or extra steps required.

Precise Simmer burner Delicate foods don't burn with

low, even heat Heavy duty, dishwasher-safe

grates

Easily and safely clean grates in the dishwasher

5.0 cu. ft. oven capacity Cook more dishes at once Sealed cooktop burners Contains spills and make cleaning quick and easy

UL Certified ®



8 PROFILE™

9.5K

15K



GE® 30" FREE-STANDING GAS CONVECTION RANGE

Model:#JGB700SEJSS

APPROXIMATE DIMENSIONS (HXWXD) 47 1/4 in x 30 in x 28 3/4 in TOTAL CAPACITY 5.0 cu ft **FEATURES** Gas convection oven Centre oval burner Heavy duty, dishwasher safe grates 5.0 cu. ft. oven capacity

Edge-to-edge cooktop Extra-large integrated non-stick

18,000 BTU power boil burner Self-clean with steam clean option

UL Certified ®





GE PROFILE™ SERIES 30" FREE-STANDING GAS **CONVECTION RANGE**

Model#:PGB911SEJSS

Approximate Dimensions (HXWXD) 47 1/4 in x 30 in x 29 1/2 in **TOTAL CAPACITY** 5.6 cu ft **FEATURES** Gas convection oven Chef Connect

3 oven racks Center oval burner Self-clean with Steam Clean

Edge-to-edge cooktop Extra-large, integrated reversible cast iron grill/griddle

Two extra-large 18k power boil burners

UL Certified ®



18K

9.5K







GE PROFILE™ SERIES 30" FREE-STANDING GAS CONVECTION RANGE Model#:PGB930SEJSS

Approximate Dimensions
(HXWXD)
47 1/4 in x 30 in x 29 1/2 in
TOTAL CAPACITY
5.6 cu ft
FEATURES
Gas convection oven
Heavy-duty, self-clean roller rack
Self-clean with Steam Clean
option
Heavy duty, self-clean grates
5.6 cu. ft. oven capacity

Dual purpose center burner

Edge-to-edge cooktop

Chef connect

20,000 btu tri-ring burner



18K

15K

GE® 30" SLIDE-IN FRONT CONTROL CONVECTION GAS RANGE

Model#:JGS760SELSS

Approx. Product Dimensions (WxHxD) (in.)
30 in x 36 1/4 in x 29 1/4 in FEATURES
Edge-to-edge cooktop
Gas convection
10,000 BTU oval burner
Heavy duty, dishwasher safe grates
Precise Simmer burner

Fit guarantee
Extra-large integrated non-stick

18,000 btu power boil burner Self-clean with steam clean option



10K

18K

20K





GE CAFÉ™ SERIES 30" SLIDE-IN FRONT CONTROL RANGE WITH WARMING DRAWER

Model#:CGS986SELSS

Approx. Dimensions (WxHxD) (in.) 30 in x 36 1/2 in x 29 1/2 in

FEATURES

15,000 BTU Power Boil burner WiFi Connect

Chef Connect

Self-clean, heavy-duty roller rack True European Convection Fit guarantee

Edge-to-edge six burner cooktop Cast-iron integrated griddle 21,000 btu tri-ring burner



Free – Standing Electric Ranges

Feature Highlights



TRUE EUROPEAN
CONVECTION W/ PRECISE
AIR

Enjoy golden-brown, perfectly even results with a third heating element and a reversing fan that provides enhanced heat and air circulation



EXPANDABLE BRIDGE ZONE

Easily adjust the cooking area to fit your recipe requirement with a large cooktop zone that includes an 8"/5" dual element.



DOUBLE OVEN 6.6 CU. FT. TOTAL OVEN CAPACITY

Dinner parties are no longer daunting with two ovensthat allows you to cook multiple dishes at two different temperatures at the same time



FIFTH ELEMENT WARMING ZONE

Food stay warm and read to serve with low heat temperature setting



SELF CLEAN ROLLER RACK

Easly access everything from heavy roast to a delicate dessert thanks to durable racks that glide smoothly on ball bearings and stand up to the heat of self-clean



12"/9"/6" POWER BOIL ELEMENT

Every pot and pan fits perfectlyon the flexible heating element capable of delivering an industryleading 3,600 watts of power



12"/9" DUAL ELEMENT

Adjust the heat to fit your pots and pans with two elements in one



FAST PREHEAT

It's never long until dinner with two heating elements that cut down on the time it takes to preheat the oven

* Not All Features Are Available



WIFI CONNECT

enjoy the convenience and freedom of wirelessly controlling oven functions from your smartphone



GE APPLIANCES



GE® 30" Free-Standing Electric Range Model#: JBS60RKSS

Approximate Dimensions (HxWxD)
47 in x 29 7/8 in x 28 in TOTAL CAPACITY
5.3 cu ft
FEATURES
6"/9" Power Boil Element
5.3 cu. ft. Oven Capacity
Ceramic Glass Cooktop
Removable Full-Width Storage
Drawer
Dual-Element Bake

*ALSO AVAILABLE IN BLACK AND WHITE

UL Certified ®



30" FREE STANDING ELECTRIC STANDARD CLEAN RANGE

Model#:JCBS630SKSS

Approx. Dimensions (WxHxD) (in.)

29 7/8 in x 47 3/4 in x 27 3/4 in FEATURES

5.0 cu. ft. capacity oven Smooth ceramic glass cooktop Four cooktop elements include two 2000-watt and two 1500-watt elements

Dual Element Bake Six oven rack positions and two chrome oven racks Hot surface indicator lights Sabbath Mode



GE® 30" FREE-STANDING ELECTRIC CONVECTION RANGE

Model#: JB655SKSS

Approx. Dimensions (HxWxD) 47 in x 29 7/8 in x 28 in FEATURES Self-clean oven Cleans the oven cavity without

the need for scrubbing 5.3 cu. ft. oven capacity Enough room to cook an entire meal at once

Removable full-width storage drawer

Store cookware or kitchen accessories

12"/9" dual element 9"/6" power boil element Convection

Circulates heat for high-quality results

Fifth element warming zone **UL Certified** ®



GE ® 30" SLIDE-IN ELECTRIC CONVECTION RANGE

Model#:JS760SLSS

Approx. Dimensions (WxHxD) (in.)

29 7/8 in x 37 1/4 in x 28 1/4 in FEATURES

Fifth element warming zone Fast preheat

Self-clean with Steam Clean option

Hidden bake oven interior Smooth-glide storage drawer Fit guarantee

12"/9" dual element
True european convection with
precise air

9"/6" power boil element





GLIDE TOUCH CONTROLS

Precisely control heat instantly
and easily with one swipe





11" 3700-WATT ELEMENT rapidly boil water with GE's most powerful induction element



MULTI-ELEMENT TIMER

Manager up to five pans at once with individual timers for each timer



SYNCBURNERS
Control two 7" elements
simultaneously to evenly heat
large cookware or griddles



POWER BOIL ELEMENTS
Use different pan size on this single element that produces rapid, powerful heat



BACKLIT KNOBS

Achieve a modern look with the convenience of knob control



TRI-RING BURNERS
Three-in-one burner is
designed for accelerated
boiling and gentle simmering



The cast-iron griddle is interchangeable with grates for a convenient cook surface.



GUARANTEED FIT
GE cooktops are guaranteed
for an exact fit to make
replacement easy.



^{*} Not All Features Are Available

39 GE APPLIANCES





GE® 30" BUILT-IN GAS COOKTOP

Model#: JGP5030SLSS

Approx. Dimensions (WxHxD) (in.)
30 in x 5 1/2 in x 21 in FEATURES
30" cooktop with 5 burners Heavy-cast, edge-to-edge grates
15,000 BTU Power Boil burner Precise Simmer burner Heavy-duty, dishwasher safe grates

UL Certified ®





GE® 30" BUILT-IN GAS COOKTOP

Model#:JGP5530SLSS

Approx. Dimensions (WxHxD) (in.)
30 in x 5 1/2 in x 21 1/4 in FEATURES
Gas on glass cooktop
15,000 BTU Power Boil burner Precise Simmer burner
Continuous grates
Dishwasher-safe grates and knobs
Fit guarantee
Sealed cooktop burners







GE Profile™ Series 30" Built-In Gas Cooktop

Model#:PGP959SETSS

Approximate Dimensions (HxWxD) 3 1/4 in x 30 in x 20 7/8 in

FEATURES
Deep-Recessed Cooktop
Sealed cooktop burners
20,000 BTU Tri-Ring Burner
Precise Simmer burner
White LED backlit knobs
Control lock capability
UL Certified ®

9.1K 6K 6K 11K 15K

GE Profile™ Series 36" Built-In Gas Cooktop

Model#: JGP970SEKSS

Approximate Dimensions (HxWxD)
3 3/16 in x 36 in x 21 3/16 in FEATURES
Gas on glass cooktop
Sealed cooktop burners

15,000 BTU Power Boil Burner Precise Simmer burner Continuous Grates UL Certified ®



% PROFILE™



GE Profile™ Series 30" Built-In Gas Cooktop

Model #: PGP9030SLSS

Approx. Product Dimensions (WxHxD) (in.) 30 in x 5 1/2 in x 21 in

Cutout Dimensions (WxD) (in.) 28-1/2 x 19-5/8

FEATURES

knobs

30" cooktop with 5 burners Precise Simmer burner Control lock capability Sealed cooktop burners Heavy-duty, dishwasher safe grates Fit Guarantee Heavy-Cast, Edge-To-Edge 18,000 BTU TRI-RING Burner White led backlit heavy-duty





GE Profile™ Series 30" Built-In **Gas Cooktop**

Model#: PGP7030SLSS

Approx. Product Dimensions (WxHxD) (in.) 30 in x 5 1/2 in x 21 in

Cutout Dimensions (WxD) (in.) 28-1/2 x 19-5/8

FEATURES

30" cooktop with 5 burners Precise Simmer burner Sealed cooktop burners Heavy-duty, dishwasher safe grates Optional extra-large, integrated cooktop griddle Fit Guarantee Heavy-Cast, Edge-To-Edge Grates 18,000 BTU POWER BOIL Burner White Led Backlit Heavy-Duty

GE Profile™ Series 36" Built-In **Gas Cooktop**

Model#:PGP7036SLSS Approx. Product Dimensions (WxHxD) (in.) 36 in x 5 1/2 in x 21 in

Cutout Dimensions (WxD) (in.) 33-7/8 x 19-1/8 **FEATURES**

Precise Simmer burner Heavy-duty, dishwasher safe grates Sealed cooktop burners

Optional extra-large, integrated cooktop griddle MAX burner system Fit Guarantee

Heavy-Cast, Edge-To-Edge Grates 18,000 BTU POWER BOIL

Burner White Led Backlit Heavy-Duty

Knobs



GE Profile™ Series 36" Built-In Gas Cooktop

Model#: PGP9036SLSS

Approx. Product Dimensions (WxHxD) (in.) 36 in x 5 1/2 in x 21 in

Cutout Dimensions (WxD) (in.) 33-7/8 x 19-1/8 **FEATURES** Control lock capability Precise Simmer burner Sealed cooktop burners

Heavy-duty, dishwasher safe grates Optional extra-large, integrated cooktop griddle

Fit Guarantee Heavy-Cast, Edge-To-Edge

Grates 18,000 BTU TRI-RING Burner White Led Backlit Heavy-Duty







9.5K

15K




15K

10/07/2018









GE Cafe™ Series 36" Built-In Gas Cooktop

Model#: CGP650SETSS
Approximate Dimensions
(HxWxD)
3 1/4 in x 36 in x 21 in
FEATURES
Deep-Recessed Cooktop
Sealed cooktop burners
20,000 BTU Tri-Ring Burner
Integrated griddle
Precise Simmer burner
Blue LED backlit knobs
Control lock capability

UL Certified ®





GE PROFILE™ SERIES 30" BUILT-IN KNOB CONTROL ELECTRIC COOKTOP

Model#:PP7030SJSS

Approximate Dimensions
(HXWXD)
6 in x 29 7/8 in x 21 1/2 in
FEATURES
8"/5" dual element
Keep Warm setting
Melt setting
Control lock capability
Red LED backlit knobs with black
glass surface and stainless steel
trim

Five radiant cooking elements 9"/6" power boil element Syncburner







GE PROFILE™ SERIES 36" BUILT-IN KNOB CONTROL COOKTOP

Model#:PP7036SJSS

Approximate Dimensions (HXWXD)
6 in x 36 1/8 in x 20 1/2 in FEATURES
SyncBurner
Keep Warm setting
Melt setting
Control lock capability
Red LED backlit knobs with black glass surface and stainles steel trim

Five radiant cooking elements 12"/9"/6" tri-ring element 8"/5" power boil element





GE PROFILE™ SERIES 36" BUILT-IN TOUCH CONTROL COOKTOP

Model#:PP9036SJSS

Approximate Dimensions
(HXWXD)
6 in x 36 1/8 in x 20 1/2 in
FEATURES
8"/5" Power Boil element
SyncBurners
Multi-element timer
Control lock capability
Custom Settings
Five radiant cooking elements
Glide touch control
12"/9"/6" tri-ring element



Bult-in Wall Ovens Feature Highlights



FRENCH DOOR DESIGN

Inspired by commercial kitchen designs, precision engineering allows for one-handed opening of both oven doors at the same time



TRUE EUROPEAN
CONVECTION W/ PRECISE
AIR

Foods are baked exceptionally even using advanced convection technology featuring a variable-speed fan that blows air from the top, creating greater coverage in an around bakeware to completely envelop foods



NOTIFICATION LIGHTING

Instantly know the status of your oven with a quick glance at this convenient pulsing light indicating preheating or lit progress bar that increase as the timer counts down.



WIFI CONNECT

enjoy the convenience and freedom of wirelessly controlling oven functions from your smartphone



TEN-PASS DUAL BROIL ELEMENT

large and small dishes brown evenly with two full-coverage broil elements that work together to concentrate heat from edge to edge



GUARANTEED FIT

GE wall ovens are guaranteed For an exact fit to make replacement easy



SPEED COOK OVEN

Impress last-minute dinner guests with advantium cooking technology that delivers oven-quality results two to eight times faster than a conventional oven



MULTIPLE COOKING FUNCTIONS

Expand your cooking versatility with true European convection, warming/proofing and sensor microwave option all in one



175+ PRE-PROGRAMMED MENU SELECTIONS

Quick find the selection you need with a menu that organises dishes into 12 convenient categories





GE APPLIANCES





GE® 30" Built-In Single Wall

Model#: JT3000SFSS

Approximate Dimensions (HxWxD) 28 3/8 in x 29 3/4 in x 27 3/16 in TOTAL CAPACITY 5.0 cu ft **FEATURES**

Ten-Pass Bake Element Self-Clean with Steam Clean

Self-Clean Heavy-Duty Oven Racks

Eight-Pass Broil Element 5.0 cu. ft. Oven Capacity Black Gloss Oven Interior





GE® 30" Built-In Single **Convection Wall Oven** Model#: JT5000SFSS

Approximate Dimensions

(HxWxD)

28 3/8 in x 29 3/4 in x 27 3/16 in TOTAL CAPACITY 5.0 cu ft **FEATURES**

Ten-Pass Bake Element True European Convection Self-Clean with Steam Clean Option

Self-Clean Heavy-Duty Oven Racks

Glass Touch Controls Halogen Interior Oven Lighting





GE Profile™ Series 30" Built-In Single Convection Wall Oven Model#:PT7050SFSS

APPROXIMATE DIMENSIONS (HxWxD)

28 3/8 in x 29 3/4 in x 27 3/16 in **TOTAL CAPACITY**

5.0 cu ft

Features

Self-clean, heavy-duty roller rack Progressive halogen oven

Self-clean with Steam Clean option

Glass touch controls

5.0 cu. ft. oven capacity True european convection with direct air

Ten-pass bake element Ten-pass dual broil element



GE® 30" BUILT-IN DOUBLE WALL OVEN WITH CONVECTION

Model#:JT5500SFSS

Approx. Product Dimensions (WxHxD) (in.) 29 3/4 in x 53 in x 26 3/4 in FEATURES

True European Convection (upper oven) Self-clean with Steam Clean option (both ovens)

Glass touch controls Halogen oven lighting Eight-pass broil element Fit guarantee

Self-clean, heavy-duty oven

racks Ten-pass bake element

Ventilation



Feature Highlights





VENTING SYSTEM WITH BOOST

Remove smoke, grease odour and moisture at the touch of a button



ELECTRONIC BACKLIT CONTROLS

Add a sophisticated look with this up-front, easy-to-use display.

* Not All Features Are Available



DUAL HALOGEN LIGHTING

Enjoy better visibility with brightly lit cooktop and surrounding surface




GE APPLIANCES



GE® Non-Vented Standard Range Hood Model#: JN327HBB

Wodel#. JN32/ HDD

Approximate Dimensions (HxWxD)
5 1/2 in x 29 7/8 in x 17 1/2 in FEATURES
Non-vented
Vertical and rear exhaust





GE® Deluxe Range Hood Model#: JV348LSS

Approximate Dimensions (HxWxD)
5 1/2 in x 29 7/8 in x 17 1/2 in FEATURES

200-CFM venting system
Convertible venting
Vertical and rear exhaust
Variable three-speed fan control
Cooktop light



GE® 30" UNDER THE CABINET HOOD

Model#:JVX5300SJSS

Approx. Dimensions (WxHxD) (in.)

29 7/8 in x 5 1/2 in x 20 in FEATURES

Four-speed with boost, 310-CFM venting system

Auto-off

Convertible venting options Vertical and rear exhaust Appearance (Fully enclosed bottom)

Easy installation
Electronic backlit controls
Dual halogen lighting with
nightlight







GE PROFILE™ SERIES 30" WALL-MOUNT GLASS CANOPY CHIMNEY HOOD

Model#:PVW7301SJSS

Approximate Dimensions (HXWXD)
1 3/4 in x 30 in x 18 1/2 in FEATURES
Night light
Convertible venting options
Auto-off
Dishwasher safe filter
Stainless steel design
350-cfm venting system with boost
Electronic backlit controls
Dual halogen cooktop lighting
Optional remote control (jxrc70)

Also available in 36" PVW7361SJSS



GE PROFILE™ SERIES 30" WALL-MOUNT HOOD

Model#: PV970NSS

Approx. Dimensions (HxWxD) 2 1/2 in x 29 7/8 in x 19 3/4 in FEATURES 450-CFM venting system Push-button controls Variable speed fan control Vertical exhaust Dual halogen cooktop light



GE PROFILE™ SERIES 36" WALL-MOUNT HOOD

Model#:PV976NSS

Approx. Dimensions (HXWXD) 3 1/8 in x 35 7/8 in x 18 7/8 in FEATURES 450-CFM venting system Push-button controls Variable speed fan control Vertical exhaust Dual halogen cooktop light



GE PROFILE™ SERIES 36" ISLAND HOOD

Model#:PV977NSS

Approximate Dimensions (HXWXD)
3 1/8 in x 35 7/8 in x 27 5/8 in FEATURES
450-CFM venting system Push-button controls Variable speed fan control Vertical exhaust Dual halogen cooktop light



Over The Range Microwave Ovens Feature Highlights



SPEED COOK OVEN

Impress last-minute dinner guests with advantium cooking technology that delivers oven-quality results two to eight times faster than a conventional oven



MULTIPLE COOKING FUNCTIONS

Expand your cooking versatility with true European convection, warming/proofing and sensor microwave option all in one



HALOGEN HEAT

Start cooking as soon as inspiration strikes with powerful halogen bulbs that produce nearly instantaneous heat and eliminate preheating



CUSTOM RECIPE SAVER

Favorite recipes are always close at hand with a feature that allows you to store cooking instructions for up to 30 different dishes



175+ PRE-PROGRAMMED MENU SELECTIONS

Quick find the selection you need with a menu that organises dishes into 12 convenient categories



BACKLIT CONTROLS

LCD readout are easy to read and maintain a modern appearance



3 OVENS IN 1

Expand your cooking versatility with true European convection warming and sensor microwave options all in one oven



SENSOR COOKING CONTROLS

Never overcook foods with a sensor that automatically adjusts cooking time and power based on humidity levels



FAST BAKE

convection and microwave cooking combine to deliver fast oven-quality results

* Not All Features Are Available



GE APPLIANCES



GE® 1.6 CU. FT. OVER-THE-**RANGE MICROWAVE OVEN** WITH RECIRCULATING **VENTING**

Model#: JNM3163RJSS

Approx. Dimensions (HxWxD) 16 7/16 in x 29 7/8 in x 15 7/8 in **FEATURES** 1.6 cu. ft. capacity 950 Watts (IEC-705 test procedure) Convenience cooking controls Auto and time defrost Turntable On/Off Two-speed, 300-CFM venting system

*ALSO AVAILABLE IN BLACK AND WHITE



GE® 1.7 CU. FT. OVER-THE-**RANGE SENSOR MICROWAVE** OVEN

Model#: JVM6175SKSS

FEATURES 1.7 cu. Ft. Capacity 1000 watts (iec-705 test procedure) "add 30 seconds" button Two-speed, 300-cfm venting system Upfront charcoal filter with indicator light Weight and time defrost Melt feature Recessed turntable with on/off

Sensor cooking controls

8 PROFILE™



GE PROFILE™ SERIES 2.1 CU. FT. OVER-THE-RANGE **SENSOR MICROWAVE OVEN**

Model#: PVM9005SJSS

Approx. Dimensions (HXWXD) 17 5/16 in x 29 15/16 in x 16 5/32

TOTAL CAPACITY 2.1 cu ft **FEATURES**

2.1 cu. ft. capacity Bottom control with integrated

handle Upfront charcoal filter with

indicator light

Three-speed, 400-CFM venting system

10 power levels Chef Connect

Sensor Cooking Controls



GE PROFILE™ SERIES 1.7 CU. FT. CONVECTION OVER-THE-**RANGE MICROWAVE OVEN**

Model#: PVM9179SKS

Approx. Dimensions (HxWxD) 16 1/4 in x 29 7/8 in x 15 1/2 in

Features

1.7 cu. Ft. Capacity 950 watts (iec-705 test procedure) Fast cook Led cooktop lighting Easy clean enamel interior Convection rack

Sensor cooking controls Chef connect



Countertop Microwave Ovens

Feature Highlights





CONVECTION/COMBINATION COOKING

Combines microwave with traditional radiant heat to bake and roast foods with accuracy



SENSOR COOKING CONTROLS

Never overcook foods with a sensor that automatically adjusts cooking time and power based on humidity levels

* Not All Features Are Available



SPACEMAKER OVEN space-saving design allows installation in limited spaces



B GE APPLIANCES



GE® 0.7 CU. FT. CAPACITY COUNTERTOP MICROWAVE OVEN

Model#:JEM3072DHWW

Approx. Dimensions (HxWxD)
10 3/4 in x 17 5/16 in x 12 3/4 in
FEATURES
0.7 cu. ft. capacity
Auto and time defrost
Turntable
Instant On controls
Control lockout
OPTIONAL HANGING KIT
JXA019K

*ALSO AVAILABLE IN BLACK

Convenience cooking controls



GE® 1.1 CU. FT. CAPACITY COUNTERTOP MICROWAVE OVEN

Model#:JES1145SHSS

Approx. Dimensions (HXWXD) 12 in x 20 5/16 in x 15 5/8 in TOTAL CAPACITY 1.1 cu ft FEATURES

Sensor cooking controls
1.1 cu. ft. capacity
Convenience cooking controls
Weight and time defrost
Turntable
Instant On controls





GE® 1.6 Cu. Ft. Countertop Microwave Oven

Model#: JES1657SMSS

Approx. Product Dimensions (WxHxD) (in.)
21 3/4 in x 12 7/8 in x 17 3/4 in FEATURES
1.6 cu. ft. capacity
Weight and time defrost
Turntable
Instant On controls
Control lockout
Sensor cooking controls



ADA compliant

GE PROFILE™ SERIES 2.2 CU. FT. COUNTERTOP SENSOR MICROWAVE OVEN

Model#: PES7227SLSS

Approx. Product Dimensions (WxHxD) (in.)
24 in x 13 1/2 in x 18 1/2 in FEATURES
2.2 cu. ft. capacity
Weight and time defrost
Extra-large 16" turntable
Instant On controls
Control lockout
Sensor cooking controls



Built-In-Dishwashers

Feature Highlights



102 CLEANING JET SYSTEM
Expect the ultimate clean from an industry-leading number of jets that deliver complete wash coverage to every corner of the dishwasher



BOTTLE WASH JETS

Hard-to-reach areas inside tall items get completely clean with for dedicated jets integrated into the upper rack that shower water deep inside for the ultimate clean.



WASH ARM
Dishes come out impressively clean thanks to this revolutionary lower wash arm reversing direction to hit items from every angle



RACK
Easily clean an entire flatware collection knives and small utensils with a two-piece customizable rack that glides smoothly



STEAM PREWASH
Loosen tough soils before any
cycle virtually eliminating the need
for soaking or pre-rinsing dishes.



WASH ZONE
Wash a true half-load either upper or lower rack without sacrificing options and cycles available on a full wash



FULL-EXTENSION ADJUSTABLE UPPER RACK WITH SMOOTH GLIDE

Quickly adjust2" up or down to fit tall glassware and 10-1/2" plates with plenty of room below for platters and cookie sheets

* Not All Features Are Available



DEDICATED SILVERWARE JETS producing table-ready
silverware powerful jets are
directed to the locations where the
silverware baskets can be placed



PIRANHA ™ HARD-FOOD DISPOSER WITH REMOVABLE FILTER

To ensure consistently clean items this stainless steel blade rotates at 3,600 RPM to pulverize food particles



B GE APPLIANCES



GE® DISHWASHER WITH HIDDEN CONTROLS

Model#:GDT535PSJSS
Approx. Dimensions (WxHxD)
(in.)
23 3/4 in x 34 in x 24 in
FEATURES
Steam PreWash
SpaceMaker® silverware basket
Dedicated Silverware Jets
Adjustable upper rack
55 dBA with status light on door
Piranha™ hard food disposer

with removable filter

Sanitize option (nsf certified)



GE® HYBRID STAINLESS STEEL INTERIOR DISHWASHER WITH HIDDEN CONTROLS

Model#: GDT635HSJSS

Approx. Dimensions (WxHxD) (in.)
23 3/4 in x 34 in x 24 in
FEATURES
3-digit countdown

Adjustable upper rack
3-piece silverware basket
48 dBA with status light on door
Steam PreWash
Bottle jets
Piranha™ hard food disposer
with removable filter
Wash zones
Sanitize option (nsf certified)





GE PROFILE™ STAINLESS STEEL INTERIOR DISHWASHER WITH HIDDEN CONTROLS

Model#: PDT825SSJSS FEATURES

Advanced wash system with more than 140 cleaning jets
Easy touch adjustable upper rack with 2 Stem Safe shelves
Full extension smooth glide upper rack with fold-down tines
Hidden vent with fan dry
Reversing quad blade wash arm
Deep clean silverware jets
Bottle jets
Wash zones



GE PROFILE™ SERIES 18" BUILT-IN DISHWASHER Model#: PDW1860KSS

Approx. Dimensions (HxWxD) 32 in x 18 in x 24 in FEATURES Bright annealed stainless steel interior Fully integrated light-touch electronic controls Glasses cycle Air-dry cycle Racks



Front Load Clothes Care Feature Highlights



RIGHTHEIGHT ™ DESIGN WITH BUILT-IN PEDESTAL

Comfortably load and unload clothes and use the top as a folding or drying surface with this factory-installed pedestal.



LARGE CAPACITY

Spend less time doing laundry thanks to front load washer capacity that can handle more clothes at once



OVERNIGHT DRY

Laundry couldn't be easier with an option that washes and dries a small load of in 8 hours or less without having to move the load to the dryer



STAIN REMOVAL GUIDE

Clean 5 of the most common stains with preprogrammed settings that modify any cycle to help remove blood, tomato, wine, dirt and grass.



EXTENDED TUMBLE

Freshly tumbles your garments periodically for up to 8 hours when unable to move clothing to dryer right away.



TIME SAVER

An option that will reduce overall washing time on most cycles by at least 20% without sacrificing wash performance



DETANGLE ASSIST

Twisted sheets an comforters are a thing of the past with a setting that pauses and reverses direction to separate items and reduce wrinkling



STEM REFRESH

rejuvenates lightly warn worn clothes by getting rid of wrinkles and odors with this convenient setting using the power of system

* Not All Features Are Available



STEAM DEWRINKLE

Stored or wrinkled clothes come out wrinkle-free with the setting that uses steam to refresh and dry a load of any size



B GE APPLIANCES



GE® 4.5 DOE cu. ft. Capacity Front Load ENERGY STAR® Washer

Model#: GFW430SSMWW Approx. Product Dimensions (WxHxD) (in.) 27 in x 39 3/4 in x 33 1/2 in

FEATURES
Extended Tumble
Sanitize with Oxi
Bulky/Bedding cycle
My Cycle
Adaptive Vibration Control
Time Saver



GE® 7.5 cu. ft. Capacity Front Load Electric Dryer
Model#:MGFD43ESSMWW
Approx. Product Dimensions
(WxHxD) (in.)
27 in x 39 3/8 in x 33 in
FEATURES
HE Sensor Dry
Quick Dry
Damp dry
Dura Drum interior

Delay start







GE® 2.2 DOE CU. FT.
FRONTLOAD WASHER
Model#:WCVH4800KWW
Approx. Dimensions (WxHxD)
(in.)
23 1/2 in x 33 5/16 in x 26 5/8 in
FEATURES
Stainless steel basket
Internal water heater
1400 RPM spin speed
5 wash/spin speed combinations



GE® 4.0 CU.FT. CAPACITY
ELECTRIC DRYER
Model#: DCVH480EKWW
Approx. Dimensions (WxHxD)
(in.)
23 1/2 in x 33 3/8 in x 25 11/16 in
FEATURES
Stainless steel drum
5 heat selections
HE Sensor Dry
Multiple dry cycles
Cycle countdown display with
LED indicators



GE APPLIANCES



GE® ENERGY STAR® 4.5 DOE CU. FT. CAPACITY FRONTLOAD WASHER WITH STEAM

Model#: GFW450SPKDG Approx. Dimensions (HxWxD) 39 3/4 in x 27 in x 33 1/2 in

39 3/4 in x 27 in x 33 1/2 in FEATURES Internal water heater Steam Quick Wash Tumble Care 1300 RPM spin speed Time saver

Stain removal guide



GE® 7.5 CU. FT. CAPACITY FRONT LOAD ELECTRIC DRYER WITH STEAM

Model#: GFD45ESPKDG
Approx. Dimensions (HxWxD)
39 3/8 in x 27 in x 33 in
FEATURES
Steam Refresh
Steam Dewrinkle
HE Sensor Dry
Stainless steel drum
Quick Dry



MADE IN

GE® ENERGY STAR® 4.9 DOE CU. FT. CAPACITY FRONT LOAD WASHER WITH STEAM Model#: GFW480SPKDG

Approx. Dimensions (WxHxD) (in.)

28 in x 39 2/5 in x 34 2/5 in FEATURES

Steam Assist Internal water heater Sanitize cycle

Precision Dispense Allergen cycle

Time Saver Stain Removal Guide



MADE IN

AMERICA

*AVAILABLE IN RUBY RED

GE® 8.3 CU. FT. CAPACITY

ENERGY STAR® DRYER WITH

Approx. Dimensions (WxHxD)

FRONT LOAD ELECTRIC

Model#: GFD48ESPKDG

28 in x 39 2/5 in x 34 3/8 in

(in.)

FEATURES

Steam Refresh

HE Sensor Dry

Steam Dewrinkle

Detangle assist

Sanitize cycle

Stainless steel drum



*AVAILABLE INRUBY RED









MADE IN

AMERICA

GE® ENERGY STAR® 4.9 DOE CU. FT. CAPACITY RIGHTHEIGHT™ DESIGN FRONT LOAD WASHER WITH STEAM

Model#:GFW490RPKRR

Approx. Dimensions (WxHxD) (in.)
28 in x 47 in x 34 2/5 in
FEATURES
Steam Assist
Internal water heater
Sanitize cycle
Precision Dispense
Allergen cycle
RightHeight® Design with Built-in
Pedestal
Time Saver
Stain Removal Guide

ALSO AVAILABLE IN DIAMOND GREY & WHITE





MADE IN

AMERICA

GE® 8.3 CU. FT. CAPACITY RIGHTHEIGHT™ DESIGN FRONT LOAD ELECTRIC ENERGY STAR® DRYER WITH STEAM

Model#: GFD49ERPKRR

Approx. Dimensions (WxHxD) (in.) 28 in x 47 in x 34 3/8 in FEATURES Steam Refresh Stainless steel drum HE Sensor Dry Sanitize cycle Steam Dewrinkle RightHeight® Design with Built-in Pedestal Detangle Assist

ALSO AVAILABLE IN DIAMOND GREY & WHITE



NOTES

Top Load Clothes Care





CAPACITY

Clean more clothes in fewer loads with a washer that offers up to 40% greater capacity and fits twice as much laundry than other washers





WIFI CONNECT

Check the washer progress from your smartphone with an app that lets you monitor cycles and settings download custom specialty cycles and receive alerts when clothes haven't been removed



SANITISE WITH OXI

Remove 99.9% of bacteria with a dedicated cycle that uses an oxi additive to boost your detergent's cleaning power while keeping fabrics looking and feeling their best



SMARTDISPENSE ™ TECHNOLOGY

The washer can hold about a twomonth supply of detergent and fabric softener and automatically dispense the right amount for each load



LED WASHER BASKET LIGHT & DEEP-TUB ACCESS

Find every last sock with a bright LED light that effectively lights the wash basket and a redesigned opening that allows easy access to the bottom of the tub



STAIN REMOVAL GUIDE

Assists removing tough stains with preprogrammed settings that modify your cycle to treat the four most common stains



STEAM SELECT

To help cater to your laundry needs this feature allows you to select a load size from 1-13 garments to customise your steam refresh or steam

Dewrinkle cycle instead of using the presettings



STEAM REFRESH

Rejuvenate lightly worn clothes by getting rid of wrinkles and odours with this convenient setting using the power of steam



MY CYCLE SETTINGS

Dry clothes with the setting you prefer on any cycle rather than the defaults and stores your settings for later use

* Not All Features Are Available







GE® 4.2 DOE CU. FT. STAINLESS STEEL CAPACITY WASHER

Model#: GTW460ASJWW Approximate Dimensions

Approximate Dimensions
(HXWXD)
44 in x 27 in x 27 in
FEATURES
Deep Fill
Dual-Action Agitator
Deep Rinse
Auto Soak
Speed Wash



GE® 6.2 CU. FT. CAPACITY ALUMINIZED ALLOY DRUM ELECTRIC DRYER

Model#:GTX42EASJWW

Approx. Dimensions (HxWxD)
44 in x 27 in x 26 3/4 in
FEATURES
Auto Dry
Up to 120 ft. venting capability
Aluminized alloy drum
Wrinkle Care extended tumble
Flat back design

- 51 -



GE® ENERGY STAR® 4.4 DOE CU. FT. STAINLESS STEEL CAPACITY WASHER

Model:- GTW490ACJWW
Approx. Product Dimensions
(WxHxD) (in.)
27 in x 44 in x 27 in
FEATURES
ENERGY STAR® qualified

Infusor wash system Stain PreTreat Speed Wash Deep Fill Deep Rinse Auto Soak

*MATCHES DRYER GTX42EASJWW



10/07/2018







GE® 3.8 DOE CU. FT. CAPACITY STAINLESS STEEL BASKET

Model#: GTW220ACKWW

Approx. Dimensions (WxHxD) (in.) 27 in x 44 in x 27 in FEATURES Stainless steel basket

PreciseFill with the option of 4 water level selections

Load size

Rotary electronic controls with cycle status lights

10 wash cycles

Heavy-duty agitator

Deep Rinse





GE® 6.2 CU. FT. CAPACITY ALUMINIZED ALLOY DRUM ELECTRIC DRYER

Model#: GTX22EASKWW

Approx. Dimensions (WxHxD) (in.)

27 in x 44 in x 26 3/4 in

FEATURES

Auto Dry

Aluminized alloy drum

3 heat selections

Flat back design

Rotary electromechanical controls

Up to 120 ft. Venting capability



GE UNITIZED SPACEMAKER® 3.2 DOE CU. FT. WASHER AND 5.9 CU. FT. ELECTRIC DRYER

Model#:-GUD27ESSJWW

Approx. Dimensions (WxHxD) (in.) 26 4/5 in x 75 1/2 in x 30 17/20 in **FEATURES**

Rotary electromechanical controls (dryer)

11 wash cycles

6 wash / rinse temperatures

1 wash / spin speed combination Auto-load sensing with 4 water

levels



